


Amendments to the Claims:

Amend the claims as follows:

1. (currently amended) A compound represented by the formula:




wherein R is $C(O)-(CH_2)_m-X-R_1$, wherein m is 0-10, X is a covalent bond, and R_1 is optionally substituted, unsaturated or partially saturated, 6-membered heterocycle.

2-7 (Cancelled)

8. (Previously presented) The compound of claim 1, wherein m is 0 to 3.

9-10 (Cancelled)

11. (currently amended) A The compound of claim 10, represented by the formula:



wherein R is C(O)-(CH₂)_m-X-R₁, wherein m is 0-3, X is a covalent bond, and R₁ is an optionally substituted, unsaturated or partially saturated, 5-membered membered heterocycle with an oxygen or one or two nitrogens in the ring.

12. (Original) The compound of claim 11, wherein R₁ is optionally substituted furan-2-yl.

13. (Original) The compound of claim 12, where in R₁ is 5-nitrofuran-2-yl.

14. (currently amended) The compound of claim ~~10~~ 8, wherein R₁ is an optionally substituted 6-membered heterocycle with one or two nitrogens in the ring.

15. (currently amended) The compound of claim 14, wherein the 6-membered heterocycle is pyridine-3-yl, or thymine-1-yl, ~~or piperazine-1-yl~~.

16-21 (Cancelled)

22. (Previously presented) A therapeutically effective amount of the compound of claim 1 in combination with a pharmaceutically-acceptable excipient to form a pharmaceutical composition.

23. (Original) The pharmaceutical composition of claim 22, which is in the form of a liposomal composition.

24. (currently amended) A method for treating breast or colon cancer in a patient, which method comprises administering a therapeutically effective amount of a compound of claim 1 to the patient.

25-56 (Cancelled)

57. (New) A therapeutically effective amount of the compound of claim 11 in combination with a pharmaceutically-acceptable excipient to form a pharmaceutical composition.

58. (New) The pharmaceutical composition of claim 57, which is in the form of a liposomal composition.

59. (New) A method for treating breast or colon cancer in a patient, which method comprises administering a therapeutically effective amount of a compound of claim 11 to the patient.